

F ɹ ɔ

ŵ ' <5 (

l ' † "Q ε 3!<< ε ɜ Ò ɜ

Ǿ я ,

3 ĭ

LS9:

ɜ 'A ɥ 3 ĭ χ □ 3 ĭ l ℒ 3 ĭ l я 3 ĭ l ~ 3 ĭ

8 w 3



F ɹ "Y

HXY0433V{{{VY ɹ° ɹ 433 Z Ǿ я 0 ɹ f β l ɬ ɜ ɔ я ɥ ɹ <30638Ydf l ɹ ɬ ŵ [OBJ] l ' † "Q % ɹ° f β ĭ ɹ ɹ ǻ ɜ l ɬ " ɜ % ɬ " ɜ ɜ ɹ ǻ ŵ 3 ~ B [OBJ] "Q ɹ l || ɜ ɜ ŵ ɹ f β [OBJ] l Ǿ l ǻ ǻ ɹ f β [OBJ] m u ɜ 'A ɥ [OBJ] 3 ĭ l γ 0 3 ĭ ℒ 3 ĭ я 3 ĭ ~ 3 ĭ ɜ □ 3 ĭ l ~ ĭ 3 ɹ % ɬ f β [OBJ] ɹ .

m

ǻ ɜ
α4β

ɹ ɜ † ǻ

}


ɹ ɹ

ɜ ǻ

ɹ ɜ ℒ	-	-	0.75 mA	5: : Ydf2 93K}
ɜ ɜ ℒ	-	-	1.20 A	433Ydf l 433 (
	-	-	0.60 A	553Ydf l 433 (





↓ 0'EV





0 0 f

EUV-100S012SV



PROJ 1/1

Т Н 3 N



3 E

3 5	0	3 5Y		
		Y	K	Y
534503505;	D	Λ	2	2
5345039045	E	= g ~ Å	2	2
		Yr@;4 Y) Yr@438 Y 3	2	2
53450:045	F	ω z s □	2	Å ω
53450:045	N	v " 1 6 ь 3 ă v 3 Y 7		

ω ' C 443 Ydf

	MIN	TYP	MIN	TYP
V _O = 12 V	86%	89%	87%	89%
V _O = 24 V	88%	91%	88%	90%
V _O = 36 V	88%	90%	88%	90%
V _O = 48 V	88%	90%	88%	90%
V _O = 54 V	88%	91%	89%	91%

53450;056 0

